



TECHNOLOGY
METALS AUSTRALIA LIMITED

ASX Announcement

23 March 2021

ACN: 612 531 389

T: 08 6489 1600

F: 08 6489 1601

E: investors@tmtlimited.com.au

Suite 9, 330 Churchill Avenue,

Subiaco WA 6008

www.tmtlimited.com.au

Directors

Michael Fry:
Chairman

Ian Prentice:
Managing Director

Sonu Cheema:
Director and Company Secretary

Issued Capital

149,641,390 ("TMT") Fully Paid
Ordinary Shares

6,849,834 – Unquoted Options
exercisable at \$0.25 on or before 15
June 2022

8,850,000 – Unquoted Director and
Employee Options at various
exercise prices and expiry dates

2,650,000 – Performance Rights

ASX Code: TMT

FRA Code: TN6



PRESENTING AT THE MINES UNEARTHED WEBINAR BY STOCKPAL

Technology Metals Australia Limited (ASX: **TMT**) ("**Technology Metals**" or the "**Company**") is pleased to announce its participation at the Mines Unearthed Webinar by StockPal to be held on 31 March 2021.

Managing Director Ian Prentice will be presenting on the development and status of the Company's Projects via Webinar on **Wednesday 31 March 2021 from 1:00pm AEDT / 10:00am AWST**.

We invite you to join the free Webinar by registering using the following link, [**Mines Unearthed Webinar**](#)¹.

A copy of the investor presentation to be delivered during the Webinar will be available on the ASX platform prior to the Webinar.

https://us02web.zoom.us/webinar/register/4716155358054/WN_6NyEeyGZQtmIXdndE8Id8A

This announcement has been authorised by the Board of TMT.

For, and on behalf of, the Board of the Company

Ian Prentice

Managing Director

Technology Metals Australia Limited

ABOUT VANADIUM

Vanadium is a hard, silvery grey, ductile and malleable speciality metal with a resistance to corrosion, good structural strength and stability against alkalis, acids and salt water. The elemental metal is rarely found in nature. The main use of vanadium is in the steel industry where it is primarily used in metal alloys such as rebar and structural steel, high-speed tools, titanium alloys and aircraft. The addition of a small amount of vanadium can increase steel strength by up to 100% and reduces weight by up to 30%. Vanadium high-carbon steel alloys contain in the order of 0.15 to 0.25% vanadium while high-speed tool steels, used in surgical instruments and speciality tools, contain in the range of 1 to 5% vanadium content. Global economic growth and increased intensity of use of vanadium in steel in developing countries will drive near term growth in vanadium demand.


An emerging and very significant use for vanadium is the rapidly developing energy storage (battery) sector with the expanding use and increasing penetration of the vanadium redox flow batteries (“**VRFB’s**”). VRFB’s are a rechargeable flow battery that uses vanadium in different oxidation states to store energy, using the unique ability of vanadium to exist in solution in four different oxidation states. VRB’s provide an efficient storage and re-supply solution for renewable energy – being able to time-shift large amounts of previously generated energy for later use – ideally suited to micro-grid to large scale energy storage solutions (grid stabilisation). Some of the unique advantages of VRFB’s are:

- a lifespan of 20 years with very high cycle life (up to 20,000 cycles) and no capacity loss,
- rapid recharge and discharge,
- easily scalable into large MW applications,
- excellent long-term charge retention,
- improved safety (non-flammable) compared to Li-ion batteries, and
- can discharge to 100% with no damage.

Global economic growth and increased intensity of use of vanadium in steel in developing countries will drive near term growth in vanadium demand.

About Technology Metals Australia Limited

Technology Metals Australia Limited (ASX: TMT) was incorporated on 20 May 2016 for the primary purpose of identifying exploration projects in Australia and overseas with the aim of discovering commercially significant mineral deposits. The Company’s primary exploration focus has been on the Gabanintha Vanadium Project located 40 km south east of Meekatharra in the mid-west region of Western Australia with the aim to develop this project to potentially supply high-quality V₂O₅ flake product to both the steel market and the emerging vanadium redox battery (VRB) market. The Project consists of nine granted tenements and one application divided between the Gabanintha Vanadium Project (8 tenements) and the Yarrabubba Project (2 tenements). Vanadium mineralisation is hosted by a north west – south east trending layered mafic igneous unit with a distinct magnetic signature. A key difference between Gabanintha and several other vanadium deposits is the consistent presence of the high-grade massive vanadium – titanium – magnetite basal unit, which results in an overall higher grade for the Gabanintha Vanadium Project.



GVP and Yarrabubba Location and Tenure

Data from the Company's 2017 and 2018 drilling programs, including 111 RC holes and 53 HQ and PQ diamond holes at the Northern Block and 31 RC holes and 4 PQ sized diamond holes completed in late 2018 at the Southern Tenement, has been used by independent geological consultants CSA Global to generate a global Inferred and Indicated Mineral Resource estimate, reported in accordance with the JORC Code 2012 edition, for the Project. The Resource estimate confirms the position of the Gabanintha Vanadium Project as one of the highest grade vanadium projects in the world.

Global Mineral Resource estimate for the Gabanintha Vanadium Project as at 29 June 2020.

Material Type	Classification	Mt	V ₂ O ₅ %	Fe%	Al ₂ O ₃ %	SiO ₂ %	TiO ₂ %	LOI%	P%	S%
Massive Magnetite	Measured (North)	1.2	1	44.7	6.2	10.4	11.4	0	0.009	0.2
	Indicated (North)	18.5	1.1	49.1	5.2	5.8	12.9	-0.1	0.007	0.2
	Indicated (South)	7.3	1.1	49.2	5.1	5.8	12.6	-0.6	0.004	0.3
	Total Indicated	25.8	1.1	49.1	5.1	5.8	12.8	-0.3	0.007	0.2
	Inferred (North)	41	1.1	47.7	5.6	7.1	12.6	0.3	0.008	0.2
	Inferred (South)	7.1	1.1	46.9	5.6	7.4	12.1	0.5	0.005	0.3
	Total Inferred	48.1	1.1	47.6	5.6	7.2	12.5	0.3	0.008	0.2
Massive Global	75.1	1.1	48.1	5.5	6.8	12.6	0.1	0.007	0.2	
Disseminated / Banded Magnetite	Indicated (North)	10.3	0.6	28.6	13.1	25.5	7.5	3	0.03	0.2
	Indicated (South)	2.3	0.7	33.1	9.5	20.6	8.5	2.3	0.014	0.3
	Total Indicated	12.6	0.6	29.5	12.5	24.6	7.7	2.8	0.027	0.2
	Inferred (North)	38.5	0.5	27.1	12.7	27.4	6.9	3.3	0.027	0.2
	Inferred (South)	11	0.6	27.7	13	25.9	7	2.7	0.015	0.3
	Total Inferred	49.5	0.5	27.2	12.8	27.1	6.9	3.2	0.024	0.2
	Diss / Band Global	62.1	0.6	27.7	12.7	26.6	7.1	3.1	0.025	0.2
Combined	Global Combined	137.2	0.9	38.9	8.7	15.7	10.1	1.5	0.015	0.2

*Note: The Mineral Resources were estimated within constraining wireframe solids using a nominal 0.9% V₂O₅% lower cut-off grade for the massive magnetite zones and using a nominal 0.4% V₂O₅% lower cut-off grade for the banded and disseminated mineralisation zones. The Mineral Resources are quoted from all classified blocks within these wireframe solids above a lower cut-off grade of 0.4% V₂O₅%. Differences may occur due to rounding.

Data from the global Mineral Resource estimate and the 2019 DFS on the GVP were used by independent consultants CSA Global to generate a Proven and Probable Ore Reserve estimate based on the Measured and

Indicated Mineral Resource of 39.6 Mt at 0.9% V₂O₅ located within the Northern Block of tenements and the Southern Tenement at Gabanintha.

Ore Reserve Estimate as at 15 September 2020

Reserve Category	Tonnes (Mt)	Grade V ₂ O ₅ %	Contained V ₂ O ₅ Tonnes (Mt)
Proven	1.1	0.96	0.01
Probable	37.9	0.90	0.34
Total	39.0	0.90	0.26

- Note: Includes allowance for mining recovery (98% for massive magnetite ore and 95% for banded and disseminated ore) and mining dilution applied as a 1 metre dilution skin; resulting in a North Pit dilution for massive magnetite ore of 13% at 0.45% V₂O₅, and North Pit dilution for banded and disseminated ore of 29% at 0.0% V₂O₅; a Central Pit dilution for massive magnetite ore of 10% at 0.46% V₂O₅, and Central Pit dilution for banded and disseminated ore of 20% at 0.0% V₂O₅; a Southern Pit dilution for massive magnetite ore of 12% at 0.49% V₂O₅, and Southern Pit dilution for banded and disseminated ore of 15% at 0.21% V₂O₅)
- Rounding errors may occur

Capital Structure	
Fully Paid Ordinary Shares on Issue	149.6m
Unquoted Options (\$0.25 – 15/06/22 expiry)	6.850m
Unquoted Options (\$0.20 – 10/05/23 expiry) ¹	8.0m
Unquoted Options (\$0.50 – 01/01/24 expiry) ²	0.85m
Class B Performance Rights ³	1.325m
Class C Performance Rights ⁴	1.325m

- Director and employee options – 50% vested on grant of the mining licences, 50% vest on Gabanintha FID
- Employee options – 50% vest and subject to the Company making a final investment decision (FID) for the Yarrabubba Project prior to 30 October 2023 and 50% vest subject to the Company achieving first commercial production from the Yarrabubba Project prior to 30 October 2023.
- Each Class B Performance Right is a right to receive one fully paid ordinary share in TMT, subject to the terms of the employee incentive scheme and subject to the Company making a final investment decision (FID) for the Yarrabubba Project prior to 30 October 2023.
- Each Class C Performance Right is a right to receive one fully paid ordinary share in TMT, subject to the terms of the employee incentive scheme and subject to the Company achieving first commercial production from the Yarrabubba Project prior to 30 October 2023.

Forward-Looking Statements

This document includes forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning Technology Metal Australia Limited's planned exploration programs, corporate activities and any, and all, statements that are not historical facts. When used in this document, words such as "could," "plan," "estimate," "expect," "intend," "may", "potential," "should" and similar expressions are forward-looking statements. Technology Metal Australia Limited believes that it has a reasonable basis for its forward-looking statements; however, forward-looking statements involve risks and uncertainties and no assurance can be given that actual future results will be consistent with these forward-looking statements. All figures presented in this document are unaudited and this document does not contain any forecasts of profitability or loss.

Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr John McDougall. Mr McDougall is the Company's Exploration Manager and a member of the Australian Institute of Geoscientists. Mr McDougall has sufficient experience relevant to the styles of mineralisation and types of deposits which are covered in this report and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' ("**JORC Code**"). Mr McDougall consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to Mineral Resources is based on information compiled by Mr Aaron Meakin. Mr Aaron Meakin is a Principal Consultant of CSA Global Pty Ltd and is a Member and Chartered Professional of the Australasian Institute of Mining and Metallurgy. Mr Aaron Meakin has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for the

Reporting of Exploration Results, Mineral Resources and Ore Reserves ("**JORC Code**"). Mr Aaron Meakin consent to the disclosure of the information in this announcement in the form and context in which it appears.

The information that relates to Ore Reserves is based on information compiled by Mr Daniel Grosso an employee of CSA Global Pty Ltd. Mr Grosso takes overall responsibility for the Report as Competent Person. Mr Grosso is a Member of The Australasian Institute of Mining and Metallurgy and has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking, to qualify as Competent Person in terms of the JORC (2012 Edition). The Competent Person, Daniel Grosso has reviewed the Ore Reserve statement and given permission for the publication of this information in the form and context within which it appears.

The information in this report that relates to the Processing and Metallurgy for the Yarrabubba project is based on and fairly represents, information and supporting documentation compiled by Mr Brett Morgan of METS Engineering Group Pty Ltd. Mr Morgan is a Member of The Australasian Institute of Mining and Metallurgy and has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking, to qualify as Competent Person in terms of the JORC (2012 Edition). The Competent Person, Brett Morgan consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.